


Model No :

**OD-5122**

## INSTALLATION INSTRUCTION SHOWER ENCLOSURE



Please read this installation instruction carefully before installing;  
Please check the quantities of the accessories and make sure you have the tools needed;  
It may also be necessary to consult your tiling supplier about the correct method for drilling your tiles;  
Should any parts be missing/damaged or other problems, please contact your local distributor or our company directly and you will get a satisfied answer.


### **GLASS WARNING**

**CAUTION** : Risk of injury or product damage. During installation tempered glass should not come in direct contact with metal parts or it may shatter. Gaskets must always be used between glass and metal. Do not touch the edges of tempered glass with tools. Do not attempt to cut tempered glass or it will shatter.

**NOTE** : Tempered safety glass is stronger than normal glass but is not unbreakable; a scratch to the glass or contact with a hard surface (such as a screw head) can cause it to break. When it does break, it loudly explodes into thousands of smaller pieces (the smaller pieces reduce the risk of personal injury).

# 1



## Accessory list




No	Description	Diagram	Unit	Qty
1	Inner wheel rack		Set	2
2	Screw - ST5X16		PC	4
3	Gasket		PC	4
4	Round gasket		Set	4
5	Eccentric		PC	4
6	K423 Aluminium		PC	2
7	Wall plug		PC	4
8	Screw - ST5X30		PC	4
9	Wall parts		PC	2
10	Handler		PC	2

No	Description	Diagram	Unit	Qty
11	Right moving glass		PC	1
12	K422 Aluminium		PC	2
13	K419 Aluminium		PC	1
14	Pattern plate		PC	3
15	Outer wheel rack		Set	2
16	Moving glass		PC	1
17	Rubber gasket		PC	4
18	K421 Aluminium		PC	1


## 2 Tools for installation



## 3




3




$$H=A+37 \text{ mm} + (3\sim 4 \text{ mm})$$

(P.S. 3~4 mm is to prevent the glass from sliding when it collides)


4




5





6





7




8




9




10



11



12



## Maintenance of Shower Enclosure

### 1. Cleaning

Please use a soft,dry cloth to clean the shower enclosure and shower tray.If there is minor dirt, please use a soft cloth or sponge dampened in a mild detergent to clean;to remove stubborn dirt,use alcohol.

When cleaning with bath detergent,do follow its instructions and use correctly.Incorrect using methods will result in bad effects on human body and is easy to make the product appear some bad situations.

Do not use following items to clean : the acidic, alkaline solvents , drugs (such as hydrochloric acid),acetone thinners and other solvents and scouring powder,otherwise they will result in bad effects on human body and is easy to make the product appear some bad situations.

### 2. Usage and maintenance of shower room roller

A. There are two kinds of shower sliding doors:slider and roller

B. Attention while using:

- 1) Avoid over striking the movable door,which may cause the door loose.
- 2) Clean rails,wheels,sliders regularly and add lubricant(oil or lubricating wax);
- 3) Adjusting the screws of sliders on a regular basis to ensure the sliders' effective carrying and

smooth sliding to the movable doors.

### 3. Maintenance of Tempered Glass

- 1) Do not use sharp objects against the surface to avoid damage;
- 2) Do not wipe the glass surface with corrosive liquids to avoid damaging the glossy surface;
- 3) Do not wipe the surface with a rough material to avoid scratches;

### 4. Maintenance of Aluminum Frame

A. Electrostatic painting products(referring to the white,bone,blue,yellow,red,purple and other solid spray type)

- 1) Prevent direct sunlight and prolonged exposure under the sunlight which will cause color fading.
- 2) Do not wipe with corrosive liquids or materials;
- 3) Do not use rough material (including toothpaste) for surface cleaning;
- 4) Do not scratch the surface with sharp objects.

B. Oxidation coloring products (such as gold,silver,matt silver,brush nickel silver)

Comparing with electrostatic painting products,oxidation color is not easy to fade,but due to its poorer hardness, please do not wipe with rough materials, especially sharp objects to scratch.

For stain on surface, please wipe with neutral cleanser.

### 5. Usage and maintenance of Acrylic shower tray.

- 1) Do not use sharp objects against the surface to avoid damage;
- 2) Do not wipe the acrylic surface with corrosive liquids to avoid damaging the glossy surface;
- 3) Do not wipe the surface with rough materials to avoid scratches.



## LIMITED WARRANTIES

Odass warrants the product to be free from defects in workmanship from the date of purchase.

These warranties extend only to the original owner/end-user for personal household use and start from the date of purchase/billing. This warranty cannot be transferred to a third party and additional limitations apply for commercial uses.

In the eventuality that a manufacturing defect appears, the owner/enduser must have in his possession, a proof of purchase as well as a proof of installation by a professional recognized by the construction industry.

Odass reserves the right to inspect on site, the defect by a representative of its choice. Any return of goods will not be accepted without the written authorization from Odass.

Odass cannot be held responsible about the defects or breaking resulting from any act of god, accident, catastrophe, abuse, negligence, improper installation/use/maintenance, intensive variation of temperature, exposures to chemicals or stains caused by different types of water such as ferrous or alkaline water, etc. The use of abrasives of any kind, gritting scraper, brushes or any other scouring object which can damage the surface of the product is to be proscribed and will cancel the present warranty.

Odass will be repaired or replaced (with a product of equal value) to her discretion of any product reported to the authorized dealer or to Odass as being defective within the warranty period. Neither the distributor, authorized Odass dealer nor any other person has been authorized to make any affirmation, representation or warranty other than those contained in the warranty; any affirmation, representation or warranty other than those contained in this warranty shall not be enforceable against Odass or any other person.

This warranty excludes any expenses related to shipping, handling and/or installation fees.

Odass cannot be held responsible for the fees of labor, wastes of time, expenses of sundries or replacement of installation material, including, but not limited to, tiles, marble, etc.

Odass reserves the right to modify this warranty at any time, it being understood that such modification will not alter the warranty conditions applicable at the time of the sale of the products in question

## LIMITED WARRANTIES

Odass warrants for a period of 10 years, acrylic unit to be free from defects in workmanship and materials under normal use and service from the initial date of purchase by the owner/end-user, contractor or builder.

Odass warrants for a period of 10 years, shower doors to be free from defects in workmanship and materials under normal use and service from the initial date of purchase by the owner/end-user, contractor or builder.

Odass warrants for a period of 5 years, sanitary products (toilet, lavatories basin) to be free from defects in workmanship and materials under normal use and service from the initial date of purchase by the owner/end-user, contractor or builder.

Odass warrants for a period of 2 years, storage modules and vanities to be free from defects in workmanship and materials under normal use and service from the initial date of purchase by the owner/end-user, contractor or builder.

Odass warrants for a period of 2 years, glass mirrors to be free from defects in workmanship and materials under normal use and service from the initial date of purchase by the owner/end-user, contractor or builder.

Odass warrants for a period of 2 years, electrical components to be free from defects in workmanship and materials under normal use and service from the initial date of purchase by the owner/end-user, contractor or builder.

All our products are certified

